

RandomVariable / January 23, 2017 04:40AM

[Learn MVC Project in 7 days – Day 2 – Lab 4 – Using ViewBag](https://www.codeproject.com/articles/897559/learn-mvc-in-days-day)

=====

[url=https://www.codeproject.com/articles/897559/learn-mvc-in-days-day]Learn MVC Project in 7 days – Day 2[/url]

=====

[url=https://www.codeproject.com/articles/897559/learn-mvc-in-days-day#Lab4%E2%80%93UsingViewBag]Lab 4 – Using ViewBag[/url]  
Lab 4 – 使用「ViewBag」)

=====

目的：  
(一)了解 Action Method 與 View 之間傳遞資料的其中一種方法

=====

步驟：(詳見原文)

(一)建立一個 ViewBag

接續 Lab3 的步驟，並把 Lab3 的 Step 3 的 View 內容改成下面的程式

```
[code]
ViewBag.Employee = emp;
return View("MyView");
[/code]
```

(二)在 View 裡面印出 Employee 的資料

接續 Lab3 的步驟，並把 Lab3 的 Step 4 的 View 內容改成下面的程式

```
[code]
@{
    WebApplication1.Models.Employee emp = (WebApplication1.Models.Employee)
    ViewBag.Employee;
}
Employee Details

Employee Name: @emp.FirstName @emp.LastName

Employee Salary: @emp.Salary.ToString("C")
[/code]
```

(三)測試結果

在網址列鍵入：localhost/Test/GetView

結果如下：

[img]https://www.codeproject.com/KB/aspnet/897559/F.png[/img]

=====

討論：

(一)

Edited 1 time(s). Last edit at 01/23/2017 04:55AM by RandomVariable.

---