

JinJin / November 04, 2011 06:52PM

[\[CSS\] Step-by-Step: 以清單\(UL+LI\)實作導覽列 \(兼容IE6\)](#)

1. [CSS 部分](#)
2. [\[color=#CC3300\]1.改變底色的做法/文字居中排法\[/color\]](#)
3. [\[color=#CC3300\]2.改變文字顏色的做法\[/color\]](#)

導覽列對於網頁設計來說，是一個非常重要的部分，敘述網站的導覽架構，並讓瀏覽者一眼看到並能認知到是可點選的導覽按鈕。

在整個網頁設計中，肩負著重要資訊的描述以及視覺注視的任務，不能搶過主要的視覺焦點，卻要能醒目及兼具設計質感，達到網頁設計的平衡。

以下則講解，透過CSS樣式，把清單 (list) 文字調整成導覽列使用的方法。我們的目標是作出下面這個形式的導覽列：

[About](#)
[Works](#)
[Video](#)
[Links](#)
[Story](#)

1. 基本語法 (HTML部份)

1.A 清單 (list) 採用[[color=#CC0066](#)] 標籤定義清單的範圍[/color]，並使用 [[color=#CC0066](#)] 標籤定義個別項目[/color]：

- About
- Works
- Video
- Links
- Story

1.B 加入超連結標籤 <a> 並寫入網址讓 List 具有導覽列功能：

- [About](#)
- [Works](#)
- [Video](#)
- [Links](#)
- [Story](#)

1.C 為導覽列加入 ID (#button)，以供 CSS 風格設定

- [About](#)
- [Works](#)
- [Video](#)
- [Links](#)
- [Story](#)

預覽結果 (底色與文字顏色另加) :

IE6 / IE7 效果示意

- 
- A screenshot showing the rendering of a navigation list in Internet Explorer 6 and Internet Explorer 7. The list consists of five items: 'About', 'Works', 'Video', 'Links', and 'Story', each preceded by a blue circular bullet point. The text is blue and underlined, and the entire list is contained within a rectangular box with a thin black border.
- [About](#)
 - [Works](#)
 - [Video](#)
 - [Links](#)
 - [Story](#)

IE8 / Chrome / Firefox 效果示意

- 
- A screenshot showing the rendering of the same navigation list in Internet Explorer 8, Google Chrome, and Mozilla Firefox. The rendering is more consistent and modern than in IE6/IE7, with the blue circular bullet points and blue underlined text clearly visible within a rectangular box.
- [About](#)
 - [Works](#)
 - [Video](#)
 - [Links](#)
 - [Story](#)

觀察重點：

1. List 有預設的「圓點」標示。
2. 在 List 前後有預設的「邊距 MARGIN」 (實際上的邊距值為「一行行高」：1 em)。

2. 加入 MARGIN: 0;

IE6 / IE7 效果示意

- 
- A screenshot showing the rendering of the navigation list in Internet Explorer 6 and Internet Explorer 7 after applying the CSS rule 'MARGIN: 0;'. The list items are now tightly packed together without the default margin, but the blue circular bullet points and blue underlined text remain.
- [About](#)
 - [Works](#)
 - [Video](#)
 - [Links](#)
 - [Story](#)

IE8 / Chrome / Firefox 效果示意

- 
- A screenshot showing the rendering of the navigation list in Internet Explorer 8, Google Chrome, and Mozilla Firefox after applying the CSS rule 'MARGIN: 0;'. The list items are tightly packed together, and the blue circular bullet points and blue underlined text are clearly visible.
- [About](#)
 - [Works](#)
 - [Video](#)
 - [Links](#)
 - [Story](#)

3. 加入 PADDING: 0;

IE6 / IE7 效果示意

- [About](#)
- [Works](#)
- [Video](#)
- [Links](#)
- [Story](#)

IE8 / Chrome / Firefox 效果示意

- [About](#)
- [Works](#)
- [Video](#)
- [Links](#)
- [Story](#)

至此兩組不同的瀏覽器效果開始統一。

4. 加入 LIST-STYLE: NONE;

```
#button{
  margin: 0;
  padding: 0;
  list-style: none;
}
```

預覽效果

- [About](#)
- [Works](#)
- [Video](#)
- [Links](#)
- [Story](#)

5. 將 li 元素設定為向左浮動

```
#button{
  margin: 0;
  padding: 0;
  list-style: none;
}
```

```
#button li {
  float: left;
}
```

預覽效果

- [About](#)
- [Works](#)
- [Video](#)
- [Links](#)
- [Story](#)

6. 設定 li 元素的寬與高

```
#button{
  margin: 0;
  padding: 0;
  list-style: none;
}

#button li {
  float: left;
  width: 170px;
  line-height: 2em;
}
```

預覽效果

- [About](#)
- [Works](#)
- [Video](#)
- [Links](#)
- [Story](#)

1. CSS 部分

```
#button {
  [color=#CC3300]/*????*/[/color]
  font-weight: bolder;
  color: #FFF;
  font-size: 14px;

  [color=#993300]/*????????*/[/color]
  margin: 0px;

  [color=#993300]/*?????????(????????40px????????*/[/color]
  padding:0px;
}

#button li {
  [color=#CC3300]/*??????? line-height ?????????*/[/color]
  line-height: 2em;

  [color=#CC3300]/*????*/[/color]
  background: dodgerBlue;
}
```

2. [color=#CC3300]1.改變底色的做法/文字居中排法[/color]

[illegible]

完成範例

<http://mepopedia.com/~jinjin/web/hw04-1/> (滑入底色變色及文字置中的導覽列)

[hr]

3. [color=#CC3300]2.改變文字顏色的做法[/color]

```
#button li {
    float: left;
    list-style-type: none;
    letter-spacing: 2px;
    border-left-width: 1px;
    border-left-style: solid;
    border-left-color: #FFF;
    padding-left: 10px;
}

#button li a {
    display: block;
    width: 160px;
    height: 22px;
    padding-top: 2px;
    color: #FFF;
    text-decoration: none;
}

#button li a:hover{
    /* ?????????????????? */
    color: #7CCBDC;
}
```

完成範例

<http://mepopedia.com/~jinjin/web/hw04/> (滑入僅文字變色的導覽列)

Edited 18 time(s). Last edit at 11/07/2011 04:15PM by HP.
